


### 1 Parts Identification

Item #: GWCF 34-48

Stack matching pieces in piles. Using the parts list, locate and count the individual pieces and verify that you have received the correct number of pieces.

If any pieces are missing or replacement parts are required, contact Gronomics at 1-855-299-6727.

NOTE: It is recommended to place a protective layer between the ground and the pieces during assembly. This will help prevent damage to the pieces.



| Parts List |      |            |  | Product Care & Maintenance   |
|------------|------|------------|--|--|
| ITEM       | QTY. | PART #     | DESCRIPTION                            | <p>Western Red Cedar will turn a weathered grey if left unfinished. Although no finish is required for cedar products when used outdoors, a natural oil finish applied regularly will help maintain the beauty and minimize cracking and drying. It is recommended to use <b>Gronomics Garden Bed Oil (Item # GBO-1Q)</b>, a non-toxic, food safe finish that is very easy to apply.</p> <p>Apply Oil when air and wind temperatures are between 50-90 degrees. Avoid applying in direct sunlight.</p> |
| 1          | 1    | LRP3x4W    | Left Rear Post, w/Dowel                |  |
| 2          | 1    | RRP3x4W    | Right Rear Post, w/Dowel               |  |
| 3          | 1    | LFP3x4W    | Left Front Post                        |  |
| 4          | 1    | RFP3x4W    | Right Front Post                       |  |
| 5          | 1    | BW18-45    | Back Window                            |  |
| 6          | 1    | FW11-45    | Front Window                           |  |
| 7          | 2    | SW29W      | Side Window                            |  |
| 8          | 1    | L51-36W    | Lid                                    |  |
| 9          | 4    | WS8-8      | Post Supports                          |  |
| 10         | 8    | GRK6-.75R4 | Hinge Support Bracket Screw, #6 x 3/4" |  |
| 11         | 24   | CS8-112ZY  | Post Support Screw, #8 x 1-1/2"        |  |
| 12         | 6    | R48-2ZY    | Hinge Screw, #8 x 2"                   |  |
| 13         | 1    | SBL        | Hinge Support Bracket, Left            |  |
| 14         | 1    | SBR        | Hinge Support Bracket, Right           |  |
| 15         | 2    | 3GEU3      | Knob                                   |  |
| 16         | 2    | H-2.5      | Hinge                                  |  |
| Not Shown  | -    | WSTRIP     | Weather Stripping                      |  |

Packaged & Inspected by:

Date:

Continued

## 2 Front Post / Rear Post Assembly


NOTE: Make sure the garden bed is on a level surface and square (If the garden bed is not level and square the cold frame will not fit correctly).

NOTE: If assembling posts onto an existing garden wedge, remove the post caps.

Align the hole located on bottom of the left rear post (Item 1) with the existing stud. Tighten the post until snug with the tapered edge of the rear post towards the front of the garden bed.

NOTE: The post slots must be facing each post.

Repeat procedure for right rear post (Item 2), left front post (Item 3) and right front post (Item 4).




## 3 Back Window / Post Support Assembly

Install the back window (Item 5) between the posts and slide down.

Center the post supports (Item 9), with three holes located on top post and three holes located on the bottom post. Keep the post supports flush with the inside of the posts.

NOTE: Make sure top posts are straight and square with the bottom posts and that the back window is snug in the post slots.

Install six #8 x 1-1/2" screws (Item 11) into each post support.



Continued


## 4 Front Window / Post Support Assembly

Install the front window (Item 6) between the posts and slide down.

Center the post supports (Item 9) with three holes located on top post and three holes located on the bottom post.


NOTE: Make sure top posts are straight and square with the bottom posts and that the front window is snug in the post slots. Keep the post supports flush with the inside of the posts.

Install six #8 x 1-1/2" screws (Item 11) into each post support.



## 5 Side Window Assembly

Install the two side windows (Item 7) between the posts and slide down.




Continued

## 6 Lid Assembly

Install the lid (Item 7) on top of the posts with the lid hinges (Item 16) located at the rear.

Center the lid side to side on top of the posts.

Install three #8 x 2" screws (Item 12) into each hinge (Item 16).




## 7 Hinge Support Bracket Assembly

Loosen the knob (Item 15).

Raise the lid and position the RH hinge support bracket (Item 14) at the mark and tighten the knob. Install the four #6 x 3/4" screws (Item 10).

Repeat step 7 on opposite side for LH support bracket (Item 13).

NOTE: Weather stripping is provided in the kit. The weather stripping can be installed along the top edge of all four windows to provide a better seal in climates where below freezing temperatures are expected.



Continued



## 8

## Completed Assembly

NOTE: Always make certain the hinge support bracket knobs are tighten to keep the lid secured.

If desired loosen the hinge support bracket knobs and set the lid at the desired opening and tighten knobs.

