


↑ Hand Position


CLOSE #1



Hold the edge of the table top with one hand and lift it upward.

↑ Hand Position


CLOSE #2



Flip table top from horizontal to vertical position and let it rest next to the legs.

↑ Hand Position


CLOSE #3



Position fingers at the grooves along side the shelves. Lift both upper and lower shelves at the same time until the frame is half closed.

↑ Hand Position


CLOSE #4



Firmly hold both top cross bars with both hands.

↑ Hand Position


CLOSE #5



Bring legs together to close frame.

↑ Hand Position

CLOSE #6



WARNING :
Folded product cannot stand upright without support. It must be stored against a secure vertical surface.

Make sure frame is completely closed.
Engage lock on both sides.

User Manual

PLEASE READ CAREFULLY
BEFORE USING THIS PRODUCT
151207

For Type IB: (BB-3110WS)

Folding islands with two shelves

Do not exceed these maximum load limits

Table Top-----80 lbs (36.4 Kg)

Each Shelf-----30 lbs (13.6 Kg)

Care Instructions

- Use mild detergent to wipe clean.
- Dry with clean cloth.
- Do not use corrosive chemicals or abrasive



Lake Forest, CA 92630


Tel: (949) 600-6990 Fax: (949) 269-0694

Email: sales@oasisconcepts.com

Website: www.oasisconcepts.com

↑ Hand Position

OPEN #1




Firmly hold two top cross bars with both hands.
Move legs outward to spread them apart.

↑ Hand Position

OPEN #2


DO NOT press
along center gap to
prevent pinching hands



If shelves do not fall flat completely, press down gently.
WARNING : DO NOT press down on shelves along the center gap to prevent pinching hands.

↑ Hand Position


OPEN #3



Hold the edge of the table top with one hand, lift it upward all the way.

↑ Hand Position

OPEN #4



Flip table top from vertical to horizontal position and let it rest flat on top of the legs.

↑ Hand Position

OPEN #5




Table top locks will engage. Lock castors if needed.